



OMRON SCIENTIFIC TECHNOLOGIES INCORPORATED  
*EC Declaration of Conformity*

OMRON Scientific Technologies Incorporated (at 6550 Dumbarton Circle, Fremont, CA 94555-3605, U.S.A.), hereby declares that the following series manufactured products listed below conform with the Essential Health and Safety Requirements (EHSRs) of the European **Machinery Directive (2006/42/EC)**, with the requirements of the **Low Voltage Directive (2006/95/EC)**, with the requirements of the **Electromagnetic Compatibility Directive (2004/108/EC)**, and with the relevant requirements of the stated standards listed below. Materials used in the manufacture of these products are **RoHS** compliant in accordance with **Directive (2011/65/EC)**

## Safety Relays: SR203M, SR203AM, SR208AD, SR209AD

(The products will be marked according to the machinery directive. The overall machine must comply with the machinery directive)

**EN ISO 13849-1:2008** - Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design

**EN 60204-1:2006 + A1:2009** - Safety of machinery - Electrical equipment of machines - Part 1: General requirements

**EN 60947-1:2007** - Low-voltage switchgear and controlgear - Part 1: General rules

**EN 60947-5-1:2004 + A1:2009** - Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices

**EN 61000-6-4:2007** - Electromagnetic compatibility (EMC) - Part 6-4: Generic standards Emission standard for industrial environments

**EN 61000-6-2:2005** - Electromagnetic compatibility (EMC) - Part 6-2: Generic standards Immunity for industrial environments

Date 26 Sept 2013

Signed Martin D. Krikorian

Martin D. Krikorian  
Quality Director  
OMRON Scientific Technologies, Inc.  
Fremont, CA, USA

Documentation Manager of the EU Office  
OMRON Scientific Technologies, Inc.  
Am Garock 8  
D-33154 Salzkotten, Germany



## NKCR.E195653 Auxiliary Devices

[Page Bottom](#)

### Auxiliary Devices

[See General Information for Auxiliary Devices](#)

**OMRON SCIENTIFIC TECHNOLOGIES INC**  
6550 DUMBARTON CIR  
FREMONT, CA 94555 USA

E195653

#### Investigated to ANSI/UL 508

**Actuator switches** Model(s) MFS-11P11, MFS-11P11CC, MFS-11P20, MFS-11P20CC

**Actuators** Model(s) CM-S11ACT, CM-S1ACT, CM-S221ACT, CM-S2ACT, CM-S31ACT, CM-S321ACT, CM-S3ACT, CM-S421ACT, CM-S521ACT, CM-S5ACT, CM-S621ACT, CM-S6ACT, MA-10ACT, MA-11ACT, MA-12ACT, MA-13ACT, MA-14ACT, MA-15ACT, MA-16ACT, MA-1ACT, MA-20ACT, MA-21ACT, MA-2ACT, MA-3ACT, MA-4ACT, MA-5ACT, MA-6ACT, MA-7ACT, MA-9ACT, MA-S20ACT, MA-S21ACT, MA-S2ACT, MA-S34ACT, MA-S35ACT, MA-S36ACT

**Control units** Model(s) CM-S21-24V, CM-S41-100V, CM-S41-24V

**Extender modules** Model(s) CM-SE-24V

**Grip-type enabling switches** Model(s) ESD-5020-20, ESD-5020-21

**I-Rope switches** Model(s) ER-1022, ER-1032, ER-5018, ER-6022, ER-6022-SS

**Industrial control switches** Model(s) SCC-1224, SCC-2124, SCC-2224

**Interlock relays** Model(s) MC-K, MF, SMT-01, SMT-02, SMT-03, SR-0, SR-05, SR-06, SR-07, SR-09, SR-11, SR-12, SR-14, SR-15, SR-16, SR-8

**Interlock switches** Model(s) T-5007, T-5009, T-5009-6

**Limit switches** Model(s) SL-AL11CC, SL-AL11M, SL-AL11N, SL-AL21CC, SL-AL21M, SL-AL21MCC, SL-AL21MM, SL-AL21MN, SL-AL21N, SL-AL30CC, SL-AL30M, SL-AL30N, SL-MAL11CC, SL-MAL11M, SL-MAL11N, SL-MAL21CC, SL-MAL21M, SL-MAL21MCC, SL-MAL21MM, SL-MAL21MN, SL-MAL21N, SL-MAL30CC, SL-MAL30M, SL-MAL30N, SL-MP11CC, SL-MP11M, SL-MP11N, SL-MP21CC, SL-MP21M, SL-MP21MCC, SL-MP21MM, SL-MP21MN, SL-MP21N, SL-MP30CC, SL-MP30M, SL-MP30N, SL-MRL11CC, SL-MRL11M, SL-MRL11N, SL-MRL21CC, SL-MRL21M, SL-MRL21MCC, SL-MRL21MM, SL-MRL21MN, SL-MRL21N, SL-MRL30CC, SL-MRL30M, SL-MRL30N, SL-MRL30M, SL-MRL30N, SL-MRLS11CC, SL-MRLS11M, SL-MRLS11N, SL-MRLS21CC, SL-MRLS21M, SL-MRLS21MCC, SL-MRLS21MM, SL-MRLS21MN, SL-MRLS21N, SL-MRLS30CC, SL-MRLS30M, SL-MRLS30N, SL-MRP11CC, SL-MRP11M, SL-MRP11N, SL-MRP21CC, SL-MRP21M, SL-MRP21MCC, SL-MRP21MM, SL-MRP21MN, SL-MRP21N, SL-MRP30CC, SL-MRP30M, SL-MRP30N, SL-MSR11CC, SL-MSR11M, SL-MSR11N, SL-MSR21CC, SL-MSR21M, SL-MSR21MCC, SL-MSR21MM, SL-MSR21MN, SL-MSR21N, SL-MSR30CC, SL-MSR30M, SL-MSR30N, SL-MTA11CC, SL-MTA11M, SL-MTA11N, SL-MTA21CC, SL-MTA21M, SL-MTA21MCC, SL-MTA21MM, SL-MTA21MN, SL-MTA21N, SL-MTA30CC, SL-MTA30M, SL-MTA30N, SL-P11CC, SL-P11M, SL-P11N, SL-P21CC, SL-P21M, SL-P21MCC, SL-P21MM, SL-P21MN, SL-P21N, SL-P30CC, SL-P30M, SL-P30N, SL-RLH11CC, SL-RLH11M, SL-RLH11N, SL-RLH21CC, SL-RLH21M, SL-RLH21MCC, SL-RLH21MM, SL-RLH21MN, SL-RLH21N, SL-RLH30CC, SL-RLH30M, SL-RLH30N, SL-RLO11CC, SL-RLO11M, SL-RLO11N, SL-RLO21CC, SL-RLO21M, SL-RLO21MCC, SL-RLO21MM, SL-RLO21MN, SL-RLO21N, SL-RLO30CC, SL-RLO30M, SL-RLO30N, SL-RLS11CC, SL-RLS11M, SL-RLS11N, SL-RLS21CC, SL-RLS21M, SL-RLS21MCC, SL-RLS21MM, SL-RLS21MN, SL-RLS21N, SL-RLS30CC, SL-RLS30M, SL-RLS30N, SL-RP11CC, SL-RP11M, SL-RP21MCC, SL-RP21MM, SL-RP21MN, SL-RP30CC, SL-RP30M, SL-RP30N, SL-RR11CC, SL-RR11M, SL-RR11N, SL-RR21CC, SL-RR21M, SL-RR21MCC, SL-RR21MM, SL-RR21MN, SL-RR21N, SL-RR30CC, SL-RR30M, SL-RR30N

**Magnetically actuated interlock switches** Model(s) MA-S, followed by 2, 20 or 21, followed by A or D

MA-S2D, MC-S, MC-S1, MC-S2, MC-S6

**Relays** Model(s) SR203AM01, SR203AM02, SR203M01, SR203M02, SR204P00, SR204P02, SR208AD01, SR208AD02, SR209AD01, SR209AD02

**Rope operated emergency switches** Model(s) ER-4020, ER-6019

**Safety relays** Model(s) SMS-##, SMT-##, SR-###AM, SR-###DD, SR-###E, SR-###MP, SR-##A, SR-125SMS4501, SR-125SMS4502, SR-125SMS4503

**Safety switches** Model(s) T-3008-02, T-3008-03, T-3008-11, T-3008-12

**Solenoid locking switches** Model(s) TL-5012, TL-8012-S, TL-8018-4, TL-8018-5

**Stand-alone switches** Model(s) MF-2PCxx (xx=1 thru 99), MFS-11P11+, MFS-11P20+, MFS-12P11+, MFS-12P20+

**Switches** Model(s) BL-6009, HP-2007, HP-2010, HP-3009, HP-6009, T-2007, T-2010, T-3009, T-4011

**Switches and actuators** Model(s) CM-S11P+

CM-S11PC, CM-S11PCC, CM-S31SC, CM-S31SCC or MA-11, followed by AP or DP, followed by 10, 11, 20 or 21

CM-S1P+, CM-S221P, CM-S221P+, CM-S2P+, CM-S31, CM-S321S+, CM-S3P+, CM-S421S+, CM-S521P+, CM-S5P+, CM-S621P+, CM-S6P+, MA-10AP+, MA-10DP+, MA-11AP+, MA-11DP+, MA-12AP+, MA-12AP10, MA-12AP11, MA-12DP+, MA-12DP10, MA-12DP11, MA-13AP+, MA-13AP10, MA-13AP11, MA-13AP20, MA-13AP21, MA-13DP+, MA-13DP10, MA-13DP11, MA-13DP20, MA-13DP21, MA-14AP+, MA-14DP+, MA-14DP10, MA-14DP11, MA-14DS10, MA-14DS11, MA-15AP+, MA-15DP+, MA-15DP21, MA-15DS21, MA-16AP+, MA-16APAS, MA-16APDS, MA-16DP+, MA-16DPAS, MA-16DPDS, MA-1AP+, MA-1DP+, MA-20AP+, MA-20DP+, MA-21AP+, MA-21DP+, MA-2AP+, MA-2DP+, MA-34AS+, MA-34DP10, MA-34DP11, MA-34DS+, MA-34DS10, MA-34DS11, MA-35AS+, MA-35DP21, MA-35DS+, MA-35DS21, MA-36AS+, MA-36DS+, MA-S0DS+, MA-S20AS+, MA-S21AS+, MA-S21DS+, MA-S2AS+, MA-S2DS+, MAA-36APAS, MAA-36APDS, MAA-36DPAS, MAA-36DPDS

# - Where # represents number.

+ - Followed by CC or Cxx, or followed by C and Cxx where xx is numbers 1 thru 99.

Last Updated on 2013-08-28

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".



## NKCR7.E195653 Auxiliary Devices Certified for Canada

[Page Bottom](#)

### Auxiliary Devices Certified for Canada

[See General Information for Auxiliary Devices Certified for Canada](#)

**OMRON SCIENTIFIC TECHNOLOGIES INC**  
6550 DUMBARTON CIR  
FREMONT, CA 94555 USA

E195653

#### Investigated to CAN/CSA-C22.2 No. 14

**Actuator switches** Model(s) MFS-11P11, MFS-11P11CC, MFS-11P20, MFS-11P20CC

**Actuators** Model(s) CM-S11ACT, CM-S1ACT, CM-S221ACT, CM-S2ACT, CM-S31ACT, CM-S321ACT, CM-S3ACT, CM-S421ACT, CM-S521ACT, CM-S5ACT, CM-S621ACT, CM-S6ACT, MA-10ACT, MA-11ACT, MA-12ACT, MA-13ACT, MA-14ACT, MA-15ACT, MA-16ACT, MA-1ACT, MA-20ACT, MA-21ACT, MA-2ACT, MA-3ACT, MA-4ACT, MA-5ACT, MA-6ACT, MA-7ACT, MA-9ACT, MA-S20ACT, MA-S21ACT, MA-S2ACT, MA-S34ACT, MA-S35ACT, MA-S36ACT

**Control units** Model(s) CM-S21-24V, CM-S41-100V, CM-S41-24V

**Extender modules** Model(s) CM-SE-24V

**Grip-type enabling switches** Model(s) ESD-5020-20, ESD-5020-21

**I-Rope switches** Model(s) ER-1022, ER-1032, ER-5018, ER-6022, ER-6022-SS

**Industrial control switches** Model(s) SCC-1224, SCC-2124, SCC-2224

**Interlock relays** Model(s) MC-K, MF, SMT-01, SMT-02, SMT-03, SR-0, SR-05, SR-06, SR-07, SR-09, SR-11, SR-12, SR-14, SR-15, SR-16, SR-8

**Interlock switches** Model(s) T-5007, T-5009, T-5009-6

**Limit switches** Model(s) SL-AL11CC, SL-AL11M, SL-AL11N, SL-AL21CC, SL-AL21M, SL-AL21MCC, SL-AL21MM, SL-AL21MN, SL-AL21N, SL-AL30CC, SL-AL30M, SL-AL30N, SL-MAL11CC, SL-MAL11M, SL-MAL11N, SL-MAL21CC, SL-MAL21M, SL-MAL21MCC, SL-MAL21MM, SL-MAL21MN, SL-MAL21N, SL-MAL30CC, SL-MAL30M, SL-MAL30N, SL-MP11CC, SL-MP11M, SL-MP11N, SL-MP21CC, SL-MP21M, SL-MP21MCC, SL-MP21MM, SL-MP21MN, SL-MP21N, SL-MP30CC, SL-MP30M, SL-MP30N, SL-MRL11CC, SL-MRL11M, SL-MRL11N, SL-MRL21CC, SL-MRL21M, SL-MRL21MCC, SL-MRL21MM, SL-MRL21MN, SL-MRL21N, SL-MRL30CC, SL-MRL30M, SL-MRL30N, SL-MRLS11CC, SL-MRLS11M, SL-MRLS11N, SL-MRLS21CC, SL-MRLS21M, SL-MRLS21MCC, SL-MRLS21MM, SL-MRLS21MN, SL-MRLS21N, SL-MRLS30CC, SL-MRLS30M, SL-MRLS30N, SL-MRP11CC, SL-MRP11M, SL-MRP11N, SL-MRP21CC, SL-MRP21M, SL-MRP21MCC, SL-MRP21MM, SL-MRP21MN, SL-MRP21N, SL-MRP30CC, SL-MRP30M, SL-MRP30N, SL-MSR11CC, SL-MSR11M, SL-MSR11N, SL-MSR21CC, SL-MSR21M, SL-MSR21MCC, SL-MSR21MM, SL-MSR21MN, SL-MSR21N, SL-MSR30CC, SL-MSR30M, SL-MSR30N, SL-MTA11CC, SL-MTA11M, SL-MTA11N, SL-MTA21CC, SL-MTA21M, SL-MTA21MCC, SL-MTA21MM, SL-MTA21MN, SL-MTA21N, SL-MTA30CC, SL-MTA30M, SL-MTA30N, SL-P11CC, SL-P11M, SL-P11N, SL-P21CC, SL-P21M, SL-P21MCC, SL-P21MM, SL-P21MN, SL-P21N, SL-P30CC, SL-P30M, SL-P30N, SL-RLH11CC, SL-RLH11M, SL-RLH11N, SL-RLH21CC, SL-RLH21M, SL-RLH21MCC, SL-RLH21MM, SL-RLH21MN, SL-RLH21N, SL-RLH30CC, SL-RLH30M, SL-RLH30N, SL-RLO11CC, SL-RLO11M, SL-RLO11N, SL-RLO21CC, SL-RLO21M, SL-RLO21MCC, SL-RLO21MM, SL-RLO21MN, SL-RLO21N, SL-RLO30CC, SL-RLO30M, SL-RLO30N, SL-RLS11CC, SL-RLS11M, SL-RLS11N, SL-RLS21CC, SL-RLS21M, SL-RLS21MCC, SL-RLS21MM, SL-RLS21MN, SL-RLS21N, SL-RLS30CC, SL-RLS30M, SL-RLS30N, SL-RP11CC, SL-RP11M, SL-RP21MCC, SL-RP21MM, SL-RP21MN, SL-RP30CC, SL-RP30M, SL-RP30N, SL-RR11CC, SL-RR11M, SL-RR11N, SL-RR21CC, SL-RR21M, SL-RR21MCC, SL-RR21MM, SL-RR21MN, SL-RR21N, SL-RR30CC, SL-RR30M, SL-RR30N

**Magnetically actuated interlock switches** Model(s) MA-S, followed by 2, 20 or 21, followed by A or D

MA-S2D, MC-S, MC-S1, MC-S2, MC-S6

**Relays** Model(s) SR203AM01, SR203AM02, SR203M01, SR203M02, SR204P00, SR204P02, SR208AD01, SR208AD02, SR209AD01, SR209AD02

**Rope operated emergency switches** Model(s) ER-4020, ER-6019

**Safety switches** Model(s) T-3008-02, T-3008-03, T-3008-11, T-3008-12

**Solenoid locking switches** Model(s) TL-5012, TL-8012-S, TL-8018-4, TL-8018-5

**Stand-alone switches** Model(s) MF-2PCxx (xx=1 thru 99), MFS-11P11+, MFS-11P20+, MFS-12P11+, MFS-12P20+

**Switches** Model(s) BL-6009, HP-2007, HP-2010, HP-3009, HP-6009, T-2007, T-2010, T-3009, T-4011

**Switches and actuators** Model(s) CM-S11P+

CM-S11PC, CM-S11PCC, CM-S31SC, CM-S31SCC or MA-11, followed by AP or DP, followed by 10, 11, 20 or 21

CM-S1P+, CM-S221P, CM-S221P+, CM-S2P+, CM-S31, CM-S321S+, CM-S3P+, CM-S421S+, CM-S521P+, CM-S5P+, CM-S621P+, CM-S6P+, MA-10AP+, MA-10DP+, MA-11AP+, MA-11DP+, MA-12AP+, MA-12AP10, MA-12AP11, MA-12DP+, MA-12DP10, MA-12DP11, MA-13AP+, MA-13AP10, MA-13AP11, MA-13AP20, MA-13AP21, MA-13DP+, MA-13DP10, MA-13DP11, MA-13DP20, MA-13DP21, MA-14AP+, MA-14DP+, MA-14DP10, MA-14DP11, MA-14DS10, MA-14DS11, MA-15AP+, MA-15DP+, MA-15DP21, MA-15DS21, MA-16AP+, MA-16APAS, MA-16APDS, MA-16DP+, MA-16DPAS, MA-16DPDS, MA-1AP+, MA-1DP+, MA-20AP+, MA-20DP+, MA-21AP+, MA-21DP+, MA-2AP+, MA-2DP+, MA-34AS+, MA-34DP10, MA-34DP11, MA-34DS+, MA-34DS10, MA-34DS11, MA-35AS+, MA-35DP21, MA-35DS+, MA-35DS21, MA-36AS+, MA-36DS+, MA-S0DS+, MA-S20AS+, MA-S21AS+, MA-S21DS+, MA-S2AS+, MA-S2DS+, MAA-36APAS, MAA-36APDS, MAA-36DPAS, MAA-36DPDS

+ - Followed by CC or Cxx, or followed by C and Cxx where xx is numbers 1 thru 99.

Last Updated on 2013-08-28

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".

**OMRON AUTOMATION AND SAFETY • THE AMERICAS HEADQUARTERS** • Chicago, IL USA • 847.843.7900 • 800.556.6766 • [www.omron247.com](http://www.omron247.com)

**OMRON CANADA, INC. • HEAD OFFICE**

Toronto, ON, Canada • 416.286.6465 • 866.986.6766 • [www.omron247.com](http://www.omron247.com)

**OMRON ELECTRONICS DE MEXICO • HEAD OFFICE**

México DF • 52.55.59.01.43.00 • 01-800-226-6766 • [mela@omron.com](mailto:mela@omron.com)

**OMRON ELECTRONICS DE MEXICO • SALES OFFICE**

Apodaca, N.L. • 52.81.11.56.99.20 • 01-800-226-6766 • [mela@omron.com](mailto:mela@omron.com)

**OMRON ELETRÔNICA DO BRASIL LTDA • HEAD OFFICE**

São Paulo, SP, Brasil • 55.11.2101.6300 • [www.omron.com.br](http://www.omron.com.br)

**OMRON ARGENTINA • SALES OFFICE**

Cono Sur • 54.11.4783.5300

**OMRON CHILE • SALES OFFICE**

Santiago • 56.9.9917.3920

**OTHER OMRON LATIN AMERICA SALES**

54.11.4783.5300

**OMRON EUROPE B.V.** • Wegalaan 67-69, NL-2132 JD, Hoofddorp, The Netherlands. • +31 (0) 23 568 13 00 • [www.industrial.omron.eu](http://www.industrial.omron.eu)

*Authorized Distributor:*

**Automation Control Systems**

- Machine Automation Controllers (MAC) • Programmable Controllers (PLC)
- Operator interfaces (HMI) • Distributed I/O • Software

**Drives & Motion Controls**

- Servo & AC Drives • Motion Controllers & Encoders

**Temperature & Process Controllers**

- Single and Multi-loop Controllers

**Sensors & Vision**

- Proximity Sensors • Photoelectric Sensors • Fiber-Optic Sensors
- Amplified Photomicrosensors • Measurement Sensors
- Ultrasonic Sensors • Vision Sensors

**Industrial Components**

- RFID/Code Readers • Relays • Pushbuttons & Indicators
- Limit and Basic Switches • Timers • Counters • Metering Devices
- Power Supplies

**Safety**

- Laser Scanners • Safety Mats • Edges and Bumpers • Programmable Safety Controllers • Light Curtains • Safety Relays • Safety Interlock Switches